

Manufacturer & Stockist of Heating, Ventilation & Air Movement Equipment

Units 2 & 3 Bull Ring Trading Estate, Green Street, Digbeth, Birmingham, B12 0NB. Tel: 0121 766 8126 Fax: 0121 766 7239 www.ajs-vent.co.uk



# TYPE D SINGLE BLADE VOLUME CONTROL DAMPER

### Damper Model

- Type D
  - Single Blade Regulating Damper.

### **Duct Connection Type**

• Circular Slip joint / Spigot.

#### Size Options

• To suit 80 -500mm Ø

#### Material

• Galvanised Mild Steel.

## **Description / Full Features:**

The AJS range of single blade volume control / regulating dampers are designed for balancing airflow through circular ducting systems. The range offers a slip joint installation connection and manual hand controls with visual open/closed indication.

- Designed to admit an insulation thickness of up to 50mm.
- Adjustable range of 0° to 90°.
- External blade lock via screw fixing.

## AJS are proud to be associated with:







Every effort is made to ensure the information in AJS literature is correct, however no warranty is given in this respect and the company shall not be liable as a result of any inaccuracy. The company has a policy of continuous product development and reserves the right to alter, at any time, specification without prior notice




Manufacturer & Stockist of Heating, Ventilation & Air Movement Equipment

Units 2 & 3 Bull Ring Trading Estate, Green Street, Digbeth, Birmingham, B12 0NB. Tel: 0121 766 8126 Fax: 0121 766 7239 www.ajs-vent.co.uk

## TYPE D SINGLE BLADE VOLUME CONTROL DAMPER

## **Dimensions:**



DIAMETER (mm)	WEIGHT (kg)
80	0.40
100	.046
125	0.55
150	0.65
180	0.75
200	0.80
224	0.90
250	1.10
280	1.30
300	1.45
315	1.5
355	2.00
400	2.40
450	3.50
500	4.00

## **Technical Data:**

Pressure Loss and noise level chart


The continuous lines represent the dampers total pressure loss as a function of flow rate and blade angle. The curve shows Value A corresponding to noise level Lw (A) in dB within the duct.

Example:


- Diameter Ø 100
- Flow Rate 60 l/s
- Pressure Loss 200 Pa

The following information can be read in the charts:

- Blade Angle 40°
- Noise Level 62 dB(A)



Example No. 1 Min Damper 80mm Ø



Example No. 2 Max Damper 500mm Ø

## AJS are proud to be associated with:







Every effort is made to ensure the information in AJS literature is correct, however no warranty is given in this respect and the company shall not be liable as a result of any inaccuracy. The company has a policy of continuous product development and reserves the right to alter, at any time, specification without prior notice



Manufacturer & Stockist of Heating, Ventilation & Air Movement Equipment

Units 2 & 3 Bull Ring Trading Estate, Green Street, Digbeth, Birmingham, B12 0NB. Tel: 0121 766 8126 Fax: 0121 766 7239 www.ajs-vent.co.uk

# TYPE D SINGLE BLADE VOLUME CONTROL DAMPER

#### **Technical Data**

						_						-				SS.																									
ome-	pressure	-	õ			peed		a/s	_					peed		5			a		ge sp	_		5			a			eed 1		(s			ə	_	ge spe			s	_
ter	loss [Pa]	frequency [Hz] 63 125 250 500 1k 2k 4k 8k								63	frequency [Hz] 63 125 250 500 1k 2k 4k 8k							63	125	fre 250	quen 500	cy (H	12] 26	4k	8k	63	125	fre 250	quer 500	ncy [t		4k	8k	63	125	fre	quen 500	cy [H		48	8
		flow rate 15 l/s								1 00	flow rate 30 l/s							k 63 125 250 500 1k 2k 4k 8k flow rate 45 l/s							63 125 250 500 1k 2k 4k 8k flow rate 60 l/s								65	125	_	w rat			48	-	
	500	65	65	65	65	59	55	49	46	67	67	67	67	60	57	50	47	70	70	70	70	63	60	53	49	75	75				64	56	53	80	80					60	5
	300	63	63	60	60	54	48	42	36	66	66	63	63	56	50	44	38	70	70	67	67	60	54		40	0.00			71		57		43		79					53	4
80	200	63	63	60	54			34			65	62	56		44					67	60	57	48	38	32	75	75	71	65		51	41	34	-	-		-	-	-	-	1
	100	55	60	53	48	43	30	23	15	59	65	57	51	46	32	24	16	66	72	63	57	51	36	27	18		-	-	-	-	-	-	-	-	-			-		-	
	50	56	54	47	43	36	25	16	9	59	59	52	47		27	17		-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-		-	1
		1		flo	w ra	te 2	5 I/s					fic	w ra	te 50	l/s					flor	w rat	e 75	l/s					flow	v rat	e 100	1/5			-		flor	w rate	e 120	l/s		-
	500	67	64	64	57	54	48	48	48	72	68	68	62	59	52	52	52	78	75	75	67	64	57	57	57	84	81	80	72	68	62	61	61	88	85	84	76	72	65	64	e
00	300	62	61	60	54	51	45	42	42	68	68	68	59	56	50	47	47	75	74	73	65	61	54	51	51	81	80	79	70	67	59	56	55	86	85	84	74	70	62	59	5
00	200	58	58	58	50	48	40	37	37	65	65	64	57	54	45	42	42	74	73	73	64	59	50	47	46	80	80	79	69	66	55	51	51	-	-	-	4	-	-	-	
	100	58	55	53	46	41	34	26	24	68	66	62	54	48	40	31	29	79	75	71	62	56	46	36	33	-	-	-	-	-	-	-	-	2	1	-	-	-	-	З	1
	50	55	53	48	42	35	26	22	18	69	67	60	53	44	33	28	22	-	2	2	-	-	2	-	-	-	-	Ξ.	-	-		-	-	-	-	-		-	-	-	1
1				flo	w ra	te 4	0 l/s					fic	w ra	te 80	<i>lls</i>					flow	w rate	120	l/s					flow	v rat	e 160	1/s					flow	w rate	180	l l/s		
	500	1.1		65	59		50			1.1		70	63	60	53						68		58	58		89			73	69	62	62	58	91	87	83	75	71	63	63	5
25	300	66	-	60	55						73	67	60	57	51				79	72	66		55	52	48	86	86	79	71	68	60	56	53	89	88	81	73	69	62	58	5
	200	65	62	57	51	46				1.00	71	65	59	53	47									48		89	85	78	70	63	56	52	52	-				-	-		i.
	100	64	59	53	47	39	34	29	27	77	70	63	55	47	40	35	32	84	78	70	61	51	45	39	35	-		-	1		~		-	-		( - 1 )	-		2	-	2
	50	63	54	50	41		27	25	20	80	68	60			34	32	26	-	*	-	*	-	-	-	-	-	-	-	-	-	*		-	-	-	-	-	-	-	-	
					_	te 6								te 120							w rate							flow	v rat	e 240	l/s			1		flow	w rate	300	) <i>l/s</i>		
	500	1.000		64		55				1000	71	68	62	59	55								60	59	58	84			72	68	65	65	65	89	89	85	77	73	69	69	ŧ
60	300	63	62	59	55	52				1	66	64	58	55	52						65		58	54	54	81	81	78	70	67	63	59	59	87	87	83	76	72	68	64	6
	200	58		50	48	42					62	56	53		44						59	53	50	50		84	80	77	69	66	58	55	55	-	-		×	-		~	5
	100	59		50	45				31	1	64	60	53		42			77	73	69	61	54	48	45	44	-	-	-	-	-	-	1	-	Ξ.	-		2	-	-	74 7	
_	50	54	50		37			25	25	69	64		-	42	37	32	32	-	-	-	-	-	-	-	-	•	-	-	-	-	8	-	-	-	1.0		-	•	÷.,	-	-
		_				te 10			_					e 200							w rate				_																
	500		64	61	55	52					68	65	59	55	55																				85	81					
00	300	67		56	50	48					68	62	55	52	51																			95	87	81	72	68	66	69	6
	200	62		55	47	44					65	62	53		48			83			62			54		90	83	79	69	65	62	61	60	-	-	-	e.	-	-	-	1
	100	100	52 45	48		39			34		64		50		44	42		83	76	69	59	56	53	50	50	2	-	-	-		Ξ.	1	-	-	-	÷.			÷.,		3
50	50	51	45			32 te 15		28	28	63	56			39 e 30	39	34	34	-	-	-	- v rate	-	-	-	-	-	-	-	-	-	-	-		-	-	-	- w rate	-	-	-	_
	500	60	66	59	53		54	53	52	71	67	61	56	53	56	55	54	78	75				61	60	59	flow rate 600 l/s 87 83 76 68 64 68 68 68								94	90					74	7
	300	63		55	50	47	46				63	57	50	48	47								55		55	84			67		64		61	-	90						
50	200	59		52	46						60	55	49	46	44								54		53	82			64		63	62	61	51	07	80	12	10	03	12	1
	100			45	41	38					57	51	45		40								49		42	02				05	0.5	02	01	0			÷.			0	
	50			40	38								45		38		28			-		-		-			0	9			5						÷.	2	2	5	
	50	52	40			te 25			24					te 500			20		-	floy	v rate	750	1/5		-	-		flow	rate	100	0.1/s		-	-	-	flow	- v rate	1201	0.1%	-	-
	500	68	65	59	53	50	50	53	50	74	71	65	58	55	55	58	55	82	78				60	54	60	89			69	68	67	69	65	92	88					72	F
	300	62		54	49	46						60	54	51	51	54							57		54	85						66			85	_				70	
15	200	60	55	50	45	43	40	43		1.00	64	58	52		48		101		72		59			56		86	- C		65		62	64		1	-	-	1	-	-	-	
	100	54	52	45	41	38	36			1.00	63		50		46	44					57					-	-	-		-		-		-	-	-		-	-	2	
	50	49	49	43	38	34	32	30	24	64	64	56	49	45	42			-		-	-		-				-			-	2	-	-	-	-	-		-	-		
		1		flor	v rat	te 40	10 I/s		-	1		flo	w rat	e 800	) I/s		1			flow	rate	1200	)  /s	_				flow	rate	160	0 I/s				-	flov	v rate	1800	0 Ns	-	
	500	79	73	67	62	57	60	59	58	8 82	75	68	65	59	62	61	60	88	81	74	70	62	66	65	64	95	87	79	75	67	71	70	69	98	90	82	78	70	74	73	7
00	300	72	66	60	54	51	51	51	51	77	70	64	58	56	55	54	54	84	77	70	63	62	61	60	60	91	83	76	69	67	66	65	64	94	86	79	71	70	69	68	ŧ
00	200	67	62	56	50	48	48	48	45	74	68	62	56	53	52	52	49	82	75	68	61	60	59	58	54	89	82	75	69	67	64	63	60	-			× 7	-	-	-	
	100	61	56	49	44	42	39	39	34	72	66	58	53	49	47	46	40	83	76	67	60	58	55	53	47	~		-			-	-	-	Ξ.		5	-			÷	
	50	57	52	44	39	37	35	34	26	72	67	56	50	47	44	44	33	-	-	-	121	-	-	121	-	-	-	÷.		141	÷.	1	-	2	22	2	2	-	ч.	÷.	
						te 60		_		1				e 120				flow rate 1800 l/s flow rate 2400 l/s flow rate 3			_	_																			
	500	84	77	70	64	63				1	78	71	65	64	63	62	61		-				68	~~	67				72	70	73	72	71	102	94	85	78	75	77	77	1
00	300	1.		64	58					1	74	67	60	57	57	60		88					62	66			~~		70			70		99	91	83	74	70	70	74	7
20	200	71		59	53	-				1.	70	64	58			54			78		65			60		91	84	76	70	68	66	65	61	-	-	-	÷	-	1	÷	
	100	63		53	47		44		37		66			53				82	75	70	63	60	57	55	50	-	-	-		-	2	-	-	8	-	1711	-	-	-	2	
	50	59	52				-		31	71	63		54		46	46	37	-	-	-	-	-	-	171	-		-	-	•	-		-	$\sim$	-	-	(7)	-	-	-	-	
		-				e 10				-				e 200							rate									400							v rate				
	500	100		73	69					1	83	75	71	68	67								72		68	103			82		77				98					80	
30	300	100		69	65					100	77	70	67	63	62			92				_	68			100					75		~~	105	96	88	83	79	79	79	7
	200	78	72	65	62					1.00		67	64	60	57								63		56	98	90	82	78	74	70	70	62						÷.	2	8
3	100	71	66	59	-	50						66	59	56		47	44	90	82	76	68	63	58	55	50	-	-	-	-	-	2		-			$\mathbf{x}_{1}$	-	-		-	- 12
1	50					43										48																									



### AJS are proud to be associated with:







Every effort is made to ensure the information in AJS literature is correct, however no warranty is given in this respect and the company shall not be liable as a result of any inaccuracy. The company has a policy of continuous product development and reserves the right to alter, at any time, specification without prior notice